- (currently amended): A method of treating fiber materials which comprises applying Use of an
 aqueous dispersion comprising a composition A combined with a polymer which comprises
 perfluoroalkyl groups to treat fiber materials thereto, said composition A being preparable by the
 following successive steps of
 - a) reacting a fluorine-free polyfunctional isocyanate having two or more NCO groups in the molecule or a mixture of such isocyanates with a fluorine-free monohydric alcohol having 10 to 24 and preferably 12 to 22 carbon atoms or a mixture of such alcohols by using 2 to 10 and preferably 4 to 8-equivalents of NCO groups per equivalent of OH groups of the alcohol,
 - b) reacting the product obtained in step a) with a ketone oxime in such proportions that there are still free isocyanate groups present in the resultant product mixture,
 - c) reacting the product mixture obtained in step b) with a fluorine-free organic amine which comprises two or three hydroxyl groups or with a fluorine-free polyhydric alcohol or with a mixture of such compounds in such proportions that the resultant product is free of isocyanate groups.
- 2. (currently amended): The <u>method use-according to claim 1, wherein characterized in that one</u> or more of said steps a), b) and c) and especially step a) are carried out in an anhydrous solvent.
- 3. (currently amended): The <u>method use according to claim 1-or 2</u>, <u>wherein characterized in that</u> step a) utilizes a polymeric isocyanate which is obtainable by reaction of a tolylene diisocyanate with 1,1,1-trimethylolpropane and diethylene glycol and which still comprises on average 2 or more NCO groups in the molecule.
- 4. (currently amended): The <u>method use according to one or more of claims claim 1 to 3</u>, <u>wherein characterized in that step b</u>) utilizes 0.2 to 0.7 and preferably 0.35 to 0.65 equivalent of oxime groups per equivalent of free isocyanate groups still present.
- 5. (currently amended): The <u>method use-according</u> to one or more of claims claim 1 to 4, <u>wherein characterized in that</u>-the amine utilized in step c) is N-methyldiethanolamine or triethanolamine or a mixture thereof.

13

- 6. (currently amended): The <u>method use according to ene or more of claims claim 1 to 5</u>, <u>wherein characterized in that</u>-step a) utilizes a mixture of isocyanates wherein one of these isocyanates is an alicyclic isocyanate.
- 7. (currently amended): The <u>method_use-according</u> to one or more of claims_claim_1 to 6, <u>wherein_one characterized in that</u>-the aqueous dispersion comprises one or more dispersants.
- 8. (currently amended): The <u>method use-according</u> to claim 7, <u>wherein characterized in that</u> the aqueous dispersion comprises at least one cationic dispersant.
- (currently amended): The <u>method use according to one or more of claims claim 1 to 8</u>, <u>wherein characterized in that</u> the fiber materials are textile fabrics in the form of wovens, formed-loop knits or nonwovens.